

CUP-VS6

MULTI-STAGE, API, VERTICAL DIFFUSER / TURBINE DOUBLE CASE PUMP


PUMP OVERVIEW

The ClydeUnion Pumps CUP-VS6 is a vertical turbine, multi-stage pump. This heavy-duty pump is designed to the latest edition of API 610 and API 682 standards. It is designed for dry or wet pit applications.

The ClydeUnion Pumps CUP-VS6 vertical shaft pumps are engineered with a barrel (suction can). An extensive range of hydraulics gives a comprehensive range of heads and flows to match your process. Varied material options are also available to suit specific fluid requirements. ClydeUnion Pumps legacy brands including VBX, VLBX, DB50, VMBX and SBWM provide the industry with a very comprehensive hydraulic coverage.

TYPICAL APPLICATIONS

- Crude oil transfer
- Hydrocarbon booster & transfer
- Liquefied gas
- Cooling circuit
- Petrochemical transfer
- Condensate
- Chemical transfer
- LNG vapouriser feed



TECHNICAL DATA

Capacity:	up to 7,000 m³/hr / 31,000 USgpm
Delivery head:	up to 3,000 m / 9,842 ft
Temperature:	-180 °C / -292 °F to 426 °C / 800 °F
Speeds:	up to 3,600 rpm
Flange drilling:	ANSI or BS

AMER

Burlington, CA
P: +1 905 315 3800
E: cu.burlington@celerosft.com

Houston, USA

P: +1 281 372 5040
E: cu.houston@celerosft.com

EMEA

Annecy, France
P: +33 45 005 5600
E: cu.annecy@celerosft.com

Dubai, UAE

P: +971 (0)4-5289555
E: cu.uae@celerosft.com

Glasgow, UK

P: +44 141 637 7141
E: cu.glasgow@celerosft.com

APAC

Beijing, CN
P: +86 10 5926-7000
E: cu.beijing@celerosft.com

Noida, IN

P: +91 120 4640 400
E: cu.newdelhi@celerosft.com

Singapore

P: +65 62 76 7117
E: cu.singapore@celerosft.com